

Dear Care Professional,

Patient health through reduced cross-infection is a critical factor to improving your care environment and reducing costs.

At Jalkin, we take an evidence-based approach to help our customers strengthen infection control:

- using innovative, lab-tested, alcohol-free Splodge products
- maximising compliance to best practices
- boost compliance by being fun!

Our customers are **delighted**, we look forward to working with you,

Yours,

The Jalkin Team,

specialists in human waste and infection control



Unique, laboratory-tested performance:

Kills bugs in a 3-step process Effective with no alcohol

Penetrate deep into dirt


Kill the bugs

Clean the surface

Anti-surfactant properties of the Splodge chemical allow it to penetrate deep into the dirt, deeper than standard chemicals that settle only on the surface.

The molecules bind to the surface of pathogens, disrupting their membrane structure and causing cell destruction. Splodge is formulated to be effective against bacteria, fungi, viruses and spores.

The fast-acting sanitisation allows surfaces to be wiped clean promptly. For pathogens requiring longer contact-time, the alcohol-free Splodge mean this is possible while still being kind to sensitive skin.



Laboratory proven results

Adenovirus | Aspergillus Niger | Bacillus Subtilis spores | Bacteriophage Virus | Campylobacter | Candida Albicans | Canine Parvovirus | Clostridium Difficle | Clostridium Difficle spores | Diseases of Poultry Order & Avian Influenza | E. Coli | Enterecoccus Hirae | Eperdermophyton Floccosum | Eschenchia Coli | H1N1 Influenza A | H1N1 virus | Hepatitis B | Hepatitis C | HIV | Influenza | Klebsiella Aerogenes | Klebsiella Fortuitum | Legionella Pneumophila | Leptospirosis species | Listeria Monocytogenes | M. Avium | M. Fortuitum | M. Tuberculosis | Microsporum Canis | Microsporum Gypseum | Murine Norovirus | Mycobacteria | Mycobacterium Terrae | Newcastle Disease | Odium Iactis | Orthopox | Penicillium Funiculosum | Pneumococci Patient Strain | Polio | Poliovirus | Proteus Mirabilis | Proteus Vulgaris | Pseudomonas Fluorescens | Pseudomones Aeruginosa | Saccharmyces Cerevisiae | Saccharomyces Cerevisiae | Salmonella choleraesuis | Salmonella Enteriditis | Salmonella Typhimurium | Shigella Flexneri | Shigella Sonnei | Staphylococcus Aureus | Streptococcus Epidermidis | Streptococcus Faecalis | Streptococcus Pyrogenes | Trichophyton Mentagrophytes... Pass or 99.99 efficacy, full Biochem test details, laboratory information and contact times available on request.

Hand cleaning everywhere:

The Splodge Dongle

Alcohol-free hand sanitiser on a convenient lanyard

Recommended issue for all staff





Wall-mounted Splodge dispensers

for Splodge medical hand scrub and foam hand sanitiser

Position near doors, sinks and high-traffic areas

Splodge medical hand scrub

The sanitising alternative to soap

Ideal for visitor, resident, relatives,
patient and staff usage





Splodge foam hand sanitiser

No rinse required, alcohol free

Allows greater contact time for antipathogen efficacy

Surfaces, appliances and spills:

Splodge surface sanitiser

500ml sanitising surface spray for general surface cleaning





Super-absorbent powder

For easily soaking up and collecting spills

Turns liquid into gel

Splodge Sanitiser concentrate

5 litres cost-effectively refills ~100 spray bottles

Ideal for high risk surfaces





Bed pan washer & macerator cleaners

With the Splodge colour-matching scheme Improved compliance in your sluice-room

How to Handwash?

WASH HANDS WHEN VISIBLY SOILED! OTHERWISE, USE HANDRUB

Duration of the entire procedure: 40-60 seconds

















Rotational rubbing, backwards and forwards with clasped fingers of right hand in left palm and vice versa;







Use towel to turn off faucet;







✓ Compliance

√ Staff

✓ Residents

√ Visitors

✓ Relatives

√ Site Layout

√ Responsibilities

How to Handsanitise?

RUB HANDS FOR HAND HYGIENE! WASH HANDS WHEN VISIBLY SOILED

Duration of the entire procedure: 20-30 seconds



Apply a paimful of the product in a cupped hand, covering all surfaces;



- ✓ Patients
- ✓ Processes
- √ Safety



- ✓ Monitoring
- ✓ Training
- ✓ Awareness
- ✓ Culture



Right palm over left dorsum with interlaced fingers and vice versa;





Backs of fingers to opposing palms with fingers interlocked;



forwards with clasped fingers of right hand in left paim and vice versa;



In 2020 regulations change

Will your Washer-Disinfectors be compliant?

Will your Septic Tank be compliant?

Ask your Jalkin contact

NEW SERVICE

Want to know how your care environment scores when it comes to human waste hygiene?

Find out before your next CQC or Infection Control inspection

Request a Jalkin hygiene assessment:

- Surface swabs evidence-based scoring
- Review of site policies and process
- Review of staff compliance
- Practical recommendations
- Free samples of consumables for first time customers

